

Answer Key:

FINAL EXAM, VERSION 4
CSci 127: Introduction to Computer Science
Hunter College, City University of New York

16 December 2019

1. (a) What will the following Python code print:

```
pioneers = "Kay_Alan/Grove_Andy/Turing_Alan"
i. num = pioneers.count('_') + 1
   print(pioneers[len(pioneers)-num:])
```

Answer Key:

Alan

```
names = pioneers.split('/')
ii. m = names[2]
    print(m[:6].upper())
```

Answer Key:

TURING

```
for n in names:
iii. print(n.split('_')[1])
```

Answer Key:

Alan
Andy
Alan

- (b) Consider the following shell commands:

```
$ ls
hello.py ps1.txt ps3.txt triangles.py
```

- i. What is the output for:
\$ mkdir submit
\$ mv triangles.py submit
\$ ls

Answer Key:

```
hello.py ps1.txt ps3.txt submit
```

- ii. What is the output for:
`$ ls | grep py | wc -l`

Answer Key:

1

- iii. What is the output for:
`$ cd submit`
`$ touch hwk`
`$ ls`

Answer Key:

hwk triangles.py

2. (a) Consider the code:

Answer Key:

```
import turtle
thomasH = turtle.Turtle()
```

- i. After the command: `thomasH.color("#AA00AA")`, what color is `thomasH`?
 black blue white gray purple
- ii. After the command: `thomasH.color("#1F1F1F")`, what color is `thomasH`?
 black blue white gray purple
- iii. Fill in the code below to change `thomasH` to be the color black:
`thomasH.color("# ")`

- iv. Fill in the code below to change `thomasH` to be the brightest green:
`thomasH.color("# ")`

- (b) Fill in the code to produce the output on the right:

- i. **Answer Key:** `for i in range(11):`
`print(i, end=" ")`

Output:

```
0 1 2 3 4 5 6 7 8 9 10
```

- ii. **Answer Key:** `for j in range(0, 5, 21):`
`print(i, end=" ")`

Output:

```
0 5 10 15 20
```


Answer Key:

```

import numpy as np
import matplotlib.pyplot as plt
iii. im = np.ones( (10,10,3) )

im[:,1:4,:] = 0
plt.imshow(im)
plt.show()

```


Output:**Answer Key:**

```

import numpy as np
import matplotlib.pyplot as plt
iv. im = np.ones( (10,10,3) )

im[1:2, 1:2, 1:2] = 0
im[3:4, 1:2, 1:2] = 0
im[5:6, 1:2, 1:2] = 0
im[7:8, 1:2, 1:2] = 0
im[9:10, 1:2, 1:2] = 0
plt.imshow(im)
plt.show()

```

Output:

3. (a) What is the value (True/False):

```
in1 = False
```

i. `in2 = True`

```
out = in1 or in2
```

Answer Key:

```
out = True
```

```
in1 = True
```

ii. `in2 = True`

```
out = not in1 or (in2 and not in2)
```

Answer Key:

```
out = True
```

```
in1 = True
```


iii. `in2 = True or not in1`

```
in3 = in1 or in2
```

```
out = in1 and not in3
```

Answer Key:

```
out = False
```



in1 = True
 in2 = False
 in3 = False


Answer Key:

out = True

(b) Draw a circuit that implements the logical expression:

$(\text{not } (\text{in1 and in2})) \text{ and } (\text{not in2})$


Answer Key:



(c) Fill in the circuit that implements the logical expression:

$(\text{in1 or } (\text{in1 and in3})) \text{ and } ((\text{not in2}) \text{ and } (\text{in2 or } (\text{not in3})))$

Answer Key:



4. (a) Draw the output for the function calls:

i. `ramble(fdr,9)`

Answer Key:


```
import turtle
fdr = turtle.Turtle()
fdr.shape('triangle')

def ramble(tr, side):
    if side < 10:
        tr.stamp()
    elif side % 3 == 0:
        for i in range(3):
            tr.left(120)
            tr.forward(side*10)
            ramble(tr, side//2)
    else:
        tr.stamp()
```



ii. `ramble(fdr,30)`

Answer Key:



(b) What are the formal parameters for `ramble()`:

Answer Key: `tr, side`

(c) If you call `ramble(fdr,9)`, which branches of the function are tested:

Answer Key:


- the `if`-clause only,
- the `elif`-clause only,
- the `else`-clause only,
- `if`-clause and the `else`-clause, or
- all the clauses are visited from this invocation (call).

(d) If you call `ramble(fdr,15)`, which branches of the function are tested:

Answer Key:

- the `if`-clause only,
- the `elif`-clause only,
- the `else`-clause only,
- `if`-clause and the `else`-clause, or
- all the clauses are visited from this invocation (call).

5. Design an algorithm that flips an image on its vertical axis (mirror image). For simplicity, you may assume a square image (i.e. same height and length)



Libraries:

Answer Key: `matplotlib.pyplot` and `numpy`

Input:

Answer Key: The name of the image file

Output:

Answer Key: The mirrored image

Process (as a list of steps):

Answer Key:

- (a) Ask user for image file name
- (b) Read the image in a numpy array, call it `img`
- (c) Create a new numpy array with same dimensions, call it `img2`

- (d) Copy the first column of `img` into the last column of `img2`, such that `img[0,0,:] == img2[0,n,:]`, `img[1,0,:] == img2[1,n,:]`, ... , `img[n,0,:] == img2[n,n,:]`
- (e) Repeat analogous process to copy the second column of `img` into the second-to-last column of `img2`, third column of `img` into third-to-last column of `img2`, and so on for all columns in `img`
- (f) Save `img2`
6. Given the FiveThirtyEight dataset containing data on nearly 3 million tweets sent from Twitter handles connected to the Internet Research Agency, a Russian “troll factory”, a snapshot given in the image below:

author	content	region	language	publish_date	harvested_date	following	followers	updates
10_GOP	"We have a sitting Democrat US Senator on trial	Unknown	English	10/1/2017 19:58	10/1/2017 19:59	1052	9636	253
10_GOP	Marshawn Lynch arrives to game in anti-Trump s	Unknown	English	10/1/2017 22:43	10/1/2017 22:43	1054	9637	254
10_GOP	JUST IN: President Trump dedicates Presidents	Unknown	English	10/1/2017 23:52	10/1/2017 23:52	1062	9642	256
10_GOP	Dan Bongino: "Nobody trolls liberals better than	Unknown	English	10/1/2017 2:47	10/1/2017 2:47	1050	9644	247
10_GOP	'@SenatorMenendez @CarmenYulinCruz Doesn'	Unknown	English	10/1/2017 2:52	10/1/2017 2:53	1050	9644	249
10_GOP	As much as I hate promoting CNN article, here t	Unknown	English	10/1/2017 3:47	10/1/2017 3:47	1050	9646	250
10_GOP	After the 'genocide' remark from San Juan Mayc	Unknown	English	10/1/2017 3:51	10/1/2017 3:51	1050	9646	251
10_GOP	Sarah Sanders destroys NBC reporter: "Trump n	Unknown	English	10/10/2017 20:57	10/10/2017 20:57	1066	10319	301
10_GOP	Hi @MichelleObama, remember when you praise	Unknown	English	10/10/2017 22:06	10/10/2017 22:06	1066	10320	302
10_GOP	Wow! Even CNN is slamming the Obamas for sil	Unknown	English	10/10/2017 22:17	10/10/2017 22:17	1066	10322	303
10_GOP	First lady Melania Trump visits infant opioid treat	Unknown	English	10/10/2017 23:42	10/10/2017 23:42	1068	10328	304
10_GOP	"It took Hillary abt 5 minutes to blame NRA for n	Unknown	English	10/11/2017 20:26	10/11/2017 20:27	1070	10358	308

Fill in the Python program below:

Answer Key:

```
#P6,V4: extracts trolls with highest number of updates

#Import the libraries for data frames and plotting data:
import pandas as pd
import matplotlib.pyplot as plt

#Prompt user for input file name:
csvFile = input('Enter CSV file name: ')

#Read input data into data frame:
trolls = pd.read_csv(csvFile)

#Group tweets by author and organize by the number of updates
trollUpdates = trolls.groupby(['author'])["updates"].max()

#Print the top 6 authors/trolls with largest number of updates
print(trollUpdates[:6])

#Generate a bar plot of the top 3 authors/trolls with largest number of updates
trollUpdates.plot.bar()
```

```
plt.show()
```

7. Write a **complete Python program** that prompts the user for the name of an .png (image) file and prints the fraction of pixels that are primarily purple. A pixel is primarily purple if the red and blue values are over 90%, and the green value is less than 10%.

Answer Key:

```
#Import the packages for images and arrays:
import matplotlib.pyplot as plt
import numpy as np
#Ask user for image name and read into img:
inImg = input('Enter input image: ')
img = plt.imread(inImg)
#Get height and width:
height = img.shape[0]
width = img.shape[1]
#Initialize counter:
count = 0
#Loop through all the pixels:
for row in range(height):
    for col in range(width):
        #Check if each pixel is primarily purple and update count:
        if (img[row,col,0] > .9) and (img[row,col,1] < .1) and (img[row,col,2] > .9):
            count = count + 1
#Compute and print fraction:
frac = count/(height*width)
print('Fraction purple is', frac)
```

8. (a) What is printed by the MIPS program below:

Answer Key:

```
acegikmoqsuwy
```

- (b) Modify the program to print out the lower-case alphabet, 'a',...'z'. Shade in the box for each line that needs to be changed and rewrite the instruction below.

Answer Key:

```
#Loop through characters
ADDI $sp, $sp, -27      # Set up stack
ADDI $t0, $zero, 97    # Start $t0 at 97 (a)
ADDI $s2, $zero, 123   # Use to test when you reach 123
SETUP: SB $t0, 0($sp)  # Next letter in $t0
ADDI $sp, $sp, 1       # Increment the stack
```



```

ADDI $t0, $t0, 1      # Increase the letter by 1
BEQ $t0, $s2, DONE   # Jump to done if $t0 == 85
J SETUP              # If not, jump back to SETUP for loop
DONE: ADDI $t0, $zero, 0 # Null (0) to terminate string
SB $t0, 0($sp)       # Add null to stack
ADDI $sp, $sp, -27   # Set up stack to print
ADDI $v0, $zero, 4   # 4 is for print string
ADDI $a0, $sp, 0     # Set $a0 to stack pointer for printing
syscall              # Print to the log

```

9. What is the output of the following C++ programs?

```

//Quote by Alan Turing
#include <iostream>
using namespace std;
int main()
{
(a)  cout<<"I propose to\nconsider";
      cout<<" the question,\n'Can machines";
      cout<<" think?'"<<endl<< "A.T.";
      return 0;
}

```

Answer Key:

```

I propose to
consider the question,
'Can machines think?'
#include <iostream>
using namespace std;
int main()
{
  double num = 0;
  double tot = 0;
  while (tot < 100) {
(b)  cout <<"Please enter amount\n";
      cin >> tot;
      num++;
  }
  cout << num << endl;
  return 0;
}

```

Answer Key:

Please enter amount

```

Please enter amount
Please enter amount
#include <iostream>
using namespace std;
int main(){
    int i, j;
    for (i = 1; i < 6; i++){
        for (j = 0; j < i; j++){
            if(j % 2 == 1)
(c)         cout << "X";
            else
                cout << "0";
        }
        cout << endl;
    }
    return 0;
}

```

Answer Key:

```

0
0X
0X0
0X0X
0X0X0

```

10. (a) Translate the following program into a **complete C++ program**:

```

#Python Loops, V4
for i in range(25,50,5):
    print(i, i+1)

```

Answer Key:

```

//C++ Loop, V4
#include <iostream>
using namespace std;
int main()
{
    for(int i=25; i<50; i+=5)
        cout << i << " " << i+1 << endl;
    return 0;
}

```

- (b) The number of active monthly WeChat users grew from ~151 million in 2012 to ~1132.7 million (1.13 billion) in 2019. The average annual growth rate can then be estimated as

$$\text{avgGrowth} = \frac{\% \text{growth}}{\text{number-of-years}} = \frac{100 \cdot \frac{1132.7 - 151}{151}}{2019 - 2012} = 92.87\%$$

We can thus estimating an average annual growth: **avgGrowth = 92.87%**

Write a **complete C++ program** that asks the user for a year greater than 2012 (assume user complies) and prints the estimated number (in millions) of active monthly WeChat users in that year.

Answer Key:

```
//WeChat monthly active users V4
#include <iostream>
using namespace std;
int main()
{
    double past = 151;
    double avgGrowth = past * .9287;
    int year = 0;

    cout << "Please enter a year between 2012 and 2019 : ";
    cin >> year;t

    double users = ( past + (avgGrowth * (year-2012)))/12;

    cout << "The number of monthly active WeChat users in ";
    cout << year << " is approximately " << users << " millions" << endl;

    return 0;
}
```